open.michigan

Author(s): Seetha Monrad, M.D., 2009

License: Unless otherwise noted, this material is made available under the terms of the Creative Commons Attribution—Noncommercial—Share Alike 3.0 License: http://creativecommons.org/licenses/by-nc-sa/3.0/

We have reviewed this material in accordance with U.S. Copyright Law and have tried to maximize your ability to use, share, and adapt it. The citation key on the following slide provides information about how you may share and adapt this material.

Copyright holders of content included in this material should contact open.michigan@umich.edu with any questions, corrections, or clarification regarding the use of content.

For more information about how to cite these materials visit http://open.umich.edu/education/about/terms-of-use.

Any medical information in this material is intended to inform and educate and is not a tool for self-diagnosis or a replacement for medical evaluation, advice, diagnosis or treatment by a healthcare professional. Please speak to your physician if you have questions about your medical condition.

Viewer discretion is advised: Some medical content is graphic and may not be suitable for all viewers.





Evaluating diffuse aches and pains December 9, 2009

Seetha Monrad M.D. Division of Rheumatology Department of Internal Medicine

Learning Objectives

- 1. List several common systemic causes of diffuse aches and pains, and develop a framework for evaluating a patient who presents with them
- 2. Know the features of patients presenting with polymyagia rheumatica and inflammatory myopathies, and how they differ from fibromyalgia (FM)
- 3. Identify the clinical features commonly seen in individuals with FM
- 4. Understand the concept of central pain, as opposed to nociceptive and neuropathic pain
- 5. Know which systemic and regional syndromes can overlap with FM
- 6. Describe some of the likely pathogenic mechanisms involved in FM
- 7. Describe the principles of FM management
- 8. List which classes of medications play a role in the treatment of FM, and which do not