## open.michigan

#### Author(s): Nancy Kerner, Akiko Kochi

**License:** Unless otherwise noted, this material is made available under the terms of the **Creative Commons Attribution-ShareAlike 3.0 License**: http://creativecommons.org/licenses/by-sa/3.0/

We have reviewed this material in accordance with U.S. Copyright Law and have tried to maximize your ability to use, share, and adapt it. The citation key on the following slide provides information about how you may share and adapt this material.

Copyright holders of content included in this material should contact **open.michigan@umich.edu** with any questions, corrections, or clarification regarding the use of content.

For more information about how to cite these materials visit http://open.umich.edu/education/about/terms-of-use.

Any **medical information** in this material is intended to inform and educate and is **not a tool for self-diagnosis** or a replacement for medical evaluation, advice, diagnosis or treatment by a healthcare professional. Please speak to your physician if you have questions about your medical condition.

Viewer discretion is advised: Some medical content is graphic and may not be suitable for all viewers.





Attribution Key for more information see: http://open.umich.edu/wiki/AttributionPolicy

#### Use + Share + Adapt

{ Content the copyright holder, author, or law permits you to use, share and adapt. }	
C PD-GOV	Public Domain – Government: Works that are produced by the U.S. Government. (17 USC § 105)
PD-EXP	Public Domain – Expired: Works that are no longer protected due to an expired copyright term.
- PO-CAP	Tuble Domain - Expired. Works that are no longer protected due to an expired copyright term.
PD-SELF	Public Domain - Self Dedicated: Works that a copyright holder has dedicated to the public domain.
(cc) ZERO	Creative Commons – Zero Waiver
(cc) BY	Creative Commons – Attribution License
CC BY-SA	Creative Commons – Attribution Share Alike License
CC BY-NC	Creative Commons – Attribution Noncommercial License
CC BY-NC-SA	Creative Commons – Attribution Noncommercial Share Alike License
GNU-FDL	GNU – Free Documentation License

#### Make Your Own Assessment

{ Content Open.Michigan believes can be used, shared, and adapted because it is ineligible for copyright. }

Public Domain – Ineligible: Works that are ineligible for copyright protection in the U.S. (17 USC § 102(b)) \*laws in PD-INEL your jurisdiction may differ

{ Content Open.Michigan has used under a Fair Use determination. }

Fair Use: Use of works that is determined to be Fair consistent with the U.S. Copyright Act. (17 USC § 107) \*laws in your jurisdiction may differ

> Our determination DOES NOT mean that all uses of this 3rd-party content are Fair Uses and we DO NOT guarantee that your use of the content is Fair.

To use this content you should do your own independent analysis to determine whether or not your use will be Fair.

# **Precipitation Reaction**

What you need to understand here, is that precipitation and salt solubility go hand in hand but they are NOT the same concept.

During this experiment, precipitation will be referring to when a *new* salt complex is formed and comes out of solution.

When the initial salt does not dissolve in the solvent- it is *not* thought of as a precipitate.

[http://www.youtube.com/watch?v=us9Ls118R9c&feature=player\_embedded]

- As seen in the reaction in the video, the initial salts, KI (aq) and HgCl<sub>2</sub> (aq) *are* soluble in water, meaning they completely dissolved when you add each respective salt by itself into water.
- Remember, when the salt dissolved- for example KI, the K+ and I- ions are no longer in the rigid lattice form but are separated from each other by being surrounded by water. Hence you have "free" floating ions in solution.
- Therefore, if you added the two salts together- the free floating ions react to one another, and in this case, some of the Hg+ ions reacted with the I- ions to create a salt of HgI that precipitated out (becoming the precipitate). K+ ions can react with either CI- or I- in solution (both products are soluble!)
- Not all the Hg+ ions will react with I- ions. You would have HgCl<sub>2</sub> also in solution mixture, but since it is solule- it will not precipitate out.

One important key note to remember is that, even if you just are dissolving one salt, you can get that salt to precipitate out of solution if you exceed the ion concentration threshold.

Here is an example to explain the concept of precipitation when the salt concentration exceeds the saturation level.

[http://www.youtube.com/watch?v=JlppDrtzZXE&feature=player\_embedded]

- The sodium acetate hydrated salt has a solubility value of 50.4g/100g H<sub>2</sub>O.
  - Meaning, you can dissolve 50.4g of the salt in 100g of water and have all the salt dissolve. If you dissolve perfectly 50.4g, the solution is saturated.
    - As seen in the video, if you add even a grain of salt to the saturated solution, it exceeds the saturation level (ionic concentration threshold) and you see the salt precipitate out.

• Remember: this is a precipitation because the initial salt dissolved in water. If it didn't dissolve in water in the first place, the salt sitting on the bottom of the flask would not be considered the precipitate.

### Summary of key points to fully understand what is going on in lab.

salt consists of an anion (negatively charged) and a cation (positively) charged.

- Salt dissolving depends on the polarity of the solvent
- a polar solvent, such as water, has partial charges on the molecule (that's why it is polar).
  - the partially negative charge from the oxygen will attract to the cation
  - the partially positive chage from the hydrogen will attract to the anion.
    - because of the partial charges, the water will form a shell (see diagram above) around the ions (essentially separating them apart- which is what dissolving is all about).
- a non-polar solvent, such as hexane, does *not* have any overall partia charge to it. So there is nothing attracting the ions of the salt (so it will remain a solid and will *not* dissolve).
- You have to distinguish the difference between precipitation and salt solubility. The concepts work together but they are *not* the same thing!
- if the salt is not soluble in a solvent (not dissolved)- the remaining undissolved salt is *not* the precipitate.
- precipitation (in this experiment's case) is thought as: when two *different* ions combine together and create a *new* salt (different than that of the original salts used).
- Simply put: if you have salt AB and salt CD, both have to dissolve in the solvent (hence getting free floating A+, B-, C+ and D- ions. The ions can then interact and create new salts:AC and BD (and also combine to make the original salts).
  - If salt AD has a low solubility- the water can "retain" a very small amount before the ionic conctration is over the solubility threshold and you start seeing the salt precipitating out.
- If salt BC has a higher solubility- the water can "retain" a larger amount. It would take a higher concentration to go over the solubility threshold for the salt to start precipitating out.

Now let's move onto learning about the experiments being done in lab!